

iptables

Eintrag löschen nach Nummer in der Chain

```
sudo iptables -L --line-numbers
```

Output:

```
Chain INPUT (policy DROP)
num target      prot opt source          destination      ctstate RELATED,ESTABLISHED
1  ACCEPT        all  -- anywhere        anywhere
2  ACCEPT        all  -- anywhere        anywhere
3  DROP          all  -- anywhere        anywhere          ctstate INVALID
4  UDP           udp  -- anywhere        anywhere          ctstate NEW
5  TCP           tcp  -- anywhere        anywhere          tcp
flags:FIN,SYN,RST,ACK/SYN ctstate NEW
6  ICMP          icmp -- anywhere        anywhere          ctstate NEW
7  REJECT        udp  -- anywhere        anywhere          reject-with icmp-port-
unreachable
8  REJECT        tcp  -- anywhere        anywhere          reject-with tcp-reset
9  REJECT        all  -- anywhere        anywhere          reject-with icmp-proto-
unreachable
10 ACCEPT        tcp  -- anywhere        anywhere          tcp dpt:ssh ctstate
NEW,ESTABLISHED
```

```
sudo iptables -D INPUT 3
```

Revision #3

Created 2023-11-29 15:24:07 UTC by Joachim Hummel

Updated 2023-11-29 15:26:52 UTC by Joachim Hummel