

iptables

Eintrag löschen nach Nummer in der Chain

```
sudo iptables -L --line-numbers
```

Output:

```
Chain INPUT (policy DROP)
num  target      prot opt source                destination              ctstate RELATED,ESTABLISHED
1    ACCEPT      all  --  anywhere              anywhere
2    ACCEPT      all  --  anywhere              anywhere
3    DROP        all  --  anywhere              anywhere                  ctstate INVALID
4    UDP        udp  --  anywhere              anywhere                  ctstate NEW
5    TCP        tcp  --  anywhere              anywhere                  tcp
flags:FIN,SYN,RST,ACK/SYN ctstate NEW
6    ICMP       icmp --  anywhere              anywhere                  ctstate NEW
7    REJECT     udp  --  anywhere              anywhere                  reject-with icmp-port-
unreachable
8    REJECT     tcp  --  anywhere              anywhere                  reject-with tcp-reset
9    REJECT     all  --  anywhere              anywhere                  reject-with icmp-proto-
unreachable
10   ACCEPT     tcp  --  anywhere              anywhere                  tcp dpt:ssh ctstate
NEW,ESTABLISHED
```

```
sudo iptables -D INPUT 3
```

Revision #3

Created 29 November 2023 15:24:07 by Joachim Hummel

Updated 29 November 2023 15:26:52 by Joachim Hummel